



www.integricert.com
Toll Free: 1-866-285-1306

Integricert, LLC

Load Testing, Inspection and Rigging

HOUMA LOCATION:
206 S. LaCarpe Cir.
Houma, LA 70360
Ph: (985) 868-6355
Fax: (985) 868-6356

MAIN LOCATION:
608 Hangar Drive
New Iberia, LA 70560
Ph: 337-365-1022
Fax: 337-365-1024

HOUSTON LOCATION:
10120 Fairbanks North
Houston Road
Houston, TX 77064
Ph: (832) 243-5838
Fax: (832) 243-5840



CERTIFICATE OF Load Test / Visual / Magnetic Particle

Customer	PO Number	Equipment Number	Certificate Number
CUSTOM HYDRAULIC EQUIPMENT COM	00416/00417/00420	00420	N-147427-3-1

ITEM TESTED → LOAD TEST/MAG PARTICLE/VISUAL INSPECTION OF: - GREASE UNIT 9'L X 6'11"W X 6'2"H
S/N: 00420
*** MT/VT PADEYE WELDS BOTTOM CORNER WELDS ***

Load Test	Tested By	Test Date	Expires (Months)	Re-Test Date
	Kelby Guilbeau	04/11/19	60	04/11/24
Tare Weight	12,000			
SWL / Payload	N/A			
Max Gross Weight	12,000			
Proof Load Applied	30,000			
Unit of Measurement	LBS			
Safety Factor	2.5			
Procedure Used	LT-P-001 REV.06			
Testing Unit	102113 ; CAL DATE: 10/09/18			
# of Padeyes	4			
Location of Padeyes	4 CORNERS			
Description of Test	FULL INTEGRITY			
Results	PASSED			

The product described has been subjected to a proof load test of the lifting points and accessible welds joining same using the procedure specified. Refer to the Field Inspection Report for particulars concerning this test.

Visual	Tested By	Test Date	Expires (Months)	Re-Test Date
	Tyler Bearb	04/11/19	12	04/11/20
Standard	AWS D1.1 (CS)			
Procedure Used	VT-P-001 REV.04			
UV/WL Meter	Q844488 ; CAL DATE: 10/29/18			
W/L Intensity	GREATER THAN / EQUAL TO 100 FC			
Results	PASSED			

SN 00420



www.integricert.com
Toll Free: 1-866-285-1306

Integricert, LLC

Load Testing, Inspection and Rigging

HOUMA LOCATION:
206 S. LaCarpe Cir.
Houma, LA 70360
Ph: (985) 868-6355
Fax: (985) 868-6356

MAIN LOCATION:
608 Hangar Drive
New Iberia, LA 70560
Ph: 337-365-1022
Fax: 337-365-1024

HOUSTON LOCATION:
10120 Fairbanks North
Houston Road
Houston, TX 77064
Ph: (832) 243-5838
Fax: (832) 243-5840



CERTIFICATE OF Load Test / Visual / Magnetic Particle

Customer	PO Number	Equipment Number	Certificate Number
CUSTOM HYDRAULIC EQUIPMENT COM	00416/00417/00420	00420	N-147427-3-1

ITEM TESTED

LOAD TEST/MAG PARTICLE/VISUAL INSPECTION OF: - GREASE UNIT 9'L X 6'11"W X 6'2"H
S/N: 00420
*** MT/VT PADEYE WELDS BOTTOM CORNER WELDS ***

Magnetic Particle	Tested By	Test Date	Expires (Months)	Re-Test Date
		Tyler Bearb	04/11/19	12

Standard	AWS D1.1 (CS)
Procedure Used	MT-P-003 REV.05
Yoke	10488 ; CAL DATE: 04/04/19
AC/DC for Yoke	AC
Demagnetized	NO
Residual / Continuous	CONTINUOUS
Blacklight	N/A
Coil	N/A
UV/WL Meter	Q844488 ; CAL DATE: 10/29/18
W/L Intensity	GREATER THAN / EQUAL TO 100 FC
Bath Strength (%100 ML Tube	1.5 TO 2.0
White Contrast Batch	K09149007
Particle Batch	16A011
Results	PASSED



www.integricert.com
Toll Free: 1-866-285-1306

Integricert, LLC

Load Testing, Inspection and Rigging

HOUMA LOCATION:
206 S. LaCarpe Cir.
Houma, LA 70360
Ph: (985) 868-6355
Fax: (985) 868-6356

MAIN LOCATION:
608 Hangar Drive
New Iberia, LA 70560
Ph: 337-365-1022
Fax: 337-365-1024

HOUSTON LOCATION:
10120 Fairbanks North
Houston Road
Houston, TX 77064
Ph: (832) 243-5838
Fax: (832) 243-5840




CERTIFICATE OF Load Test / Visual / Magnetic Particle

Customer	PO Number	Equipment Number	Certificate Number
CUSTOM HYDRAULIC EQUIPMENT COM	00416/00417/00420	00420	N-147427-3-1

ITEM TESTED

LOAD TEST/MAG PARTICLE/VISUAL INSPECTION OF: - GREASE UNIT 9'L X 6'11"W X 6'2"H
S/N: 00420
*** MT/VT PADEYE WELDS BOTTOM CORNER WELDS ***



WARNING!!! Use of this product is beyond the control of IntegriCert, LLC. In subjecting this product to the test/tests described, Integricert does not warrant the product in any manner, or certify its fitness or suitability for any specific use. The purchaser and/or the end user is solely responsible for the usability and suitability of this product. Always check the rated capacity to assure that the product meets the requirements of its application/use. The end user must inspect this product for damage prior to each use and should immediately remove from service any defective or questionable product.

Signature:

Nick Orlando

Date: 04/11/19

Anthony Arabie



www.integracert.com
Toll Free: 1-866-285-1306

Integracert, LLC

Load Testing, Inspection and Rigging

HOUMA LOCATION:
206 S. LaCarpe Cir.
Houma, LA 70360
Ph: (985) 868-6355
Fax: (985) 868-6356

MAIN LOCATION:
608 Hangar Drive
New Iberia, LA 70560
Ph: 337-365-1022
Fax: 337-365-1024

HOUSTON LOCATION:
10120 Fairbanks North
Houston Road
Houston, TX 77064
Ph: (832) 243-5838
Fax: (832) 243-5840



CERTIFICATE OF Load Test / Visual / Magnetic Particle

Customer	PO Number	Equipment Number	Certificate Number
CUSTOM HYDRAULIC EQUIPMENT COM	00418/00419/00415	00419	N-146942-2-1

ITEM TESTED

LOAD TEST/MAG PARTICLE/VISUAL INSPECTION OF: - GREASE UNIT 9'L X 6'11"W X 5'10"H
S/N: 00419
*** POST INSPECTION PADEYE AND PADEYE WELDS AND CORNERS ***

Load Test	Tested By	Test Date	Expires (Months)	Re-Test Date
	Michael Lucas	03/29/19	60	03/29/24

Tare Weight	10,000
SWL / Payload	0
Max Gross Weight	10,000
Proof Load Applied	25,000
Unit of Measurement	LBS
Safety Factor	2.5
Procedure Used	LT-P-001 REV.06
Testing Unit	10312LBM3 ; CAL DATE: 12/03/18 (PG)
# of Padeyes	4
Location of Padeyes	TOP
Description of Test	FULL INTEGRITY
Results	PASSED

The product described has been subjected to a proof load test of the lifting points and accessible welds joining same using the procedure specified. Refer to the Field Inspection Report for particulars concerning this test.

Visual	Tested By	Test Date	Expires (Months)	Re-Test Date
	Perry Batiste	03/29/19	12	03/29/20

Standard	AWS D1.1 (CS)
Procedure Used	VT-P-001 REV.04
UV/WL Meter	Q844475 ; CAL DATE 10/29/18
W/L Intensity	GREATER THAN / EQUAL TO 100 FC
Results	PASSED

S/N 00419



www.integricert.com

Toll Free: 1-866-285-1306

Integricert, LLC

Load Testing, Inspection and Rigging

HOUMA LOCATION:
206 S. LaCarpe Cir.
Houma, LA 70360
Ph: (985) 868-6355
Fax: (985) 868-6356

MAIN LOCATION:
608 Hangar Drive
New Iberia, LA 70560
Ph: 337-365-1022
Fax: 337-365-1024

HOUSTON LOCATION:
10120 Fairbanks North
Houston Road
Houston, TX 77064
Ph: (832) 243-5838
Fax: (832) 243-5840



CERTIFICATE OF Load Test / Visual / Magnetic Particle

Customer	PO Number	Equipment Number	Certificate Number
CUSTOM HYDRAULIC EQUIPMENT COM	00418/00419/00415	00419	N-146942-2-1

ITEM
TESTED

LOAD TEST/MAG PARTICLE/VISUAL INSPECTION OF: - GREASE UNIT 9'L X 6'11"W X 5'10"H
S/N: 00419
*** POST INSPECTION PADEYE AND PADEYE WELDS AND CORNERS ***

Magnetic Particle	Tested By	Test Date	Expires (Months)	Re-Test Date
	Perry Batiste	03/29/19	12	03/29/20

Standard	AWS D1.1 (CS)
Procedure Used	MT-P-003 REV.05
Yoke	10025 ; CAL DATE: 07/13/18
AC/DC for Yoke	AC
Demagnetized	NO
Residual / Continuous	CONTINUOUS
Blacklight	N/A
Coil	N/A
UV/WL Meter	Q844475 ; CAL DATE 10/29/18
W/L Intensity	GREATER THAN / EQUAL TO 100 FC
Bath Strength (%100 ML Tube)	1.2-2.4
White Contrast Batch	K09149007
Particle Batch	17H097
Results	PASSED



www.integricert.com
Toll Free: 1-866-285-1306

Integricert, LLC

Load Testing, Inspection and Rigging

HOUMA LOCATION:
206 S. LaCarpe Cir.
Houma, LA 70360
Ph: (985) 868-6355
Fax: (985) 868-6356

MAIN LOCATION:
608 Hangar Drive
New Iberia, LA 70560
Ph: 337-365-1022
Fax: 337-365-1024

HOUSTON LOCATION:
10120 Fairbanks North
Houston Road
Houston, TX 77064
Ph: (832) 243-5838
Fax: (832) 243-5840



CERTIFICATE OF Load Test / Visual / Magnetic Particle

Customer	PO Number	Equipment Number	Certificate Number
CUSTOM HYDRAULIC EQUIPMENT COM	00418/00419/00415	00419	N-146942-2-1

ITEM
TESTED

LOAD TEST/MAG PARTICLE/VISUAL INSPECTION OF: - GREASE UNIT 9'L X 6'11"W X 5'10"H
S/N: 00419
*** POST INSPECTION PADEYE AND PADEYE WELDS AND CORNERS ***



WARNING!!! Use of this product is beyond the control of IntegriCert, LLC. In subjecting this product to the test/tests described, Integricert does not warrant the product in any manner, or certify its fitness or suitability for any specific use. The purchaser and/or the end user is solely responsible for the usability and suitability of this product. Always check the rated capacity to assure that the product meets the requirements of its application/use. The end user must inspect this product for damage prior to each use and should immediately remove from service any defective or questionable product.

Signature:

Nick Orlando

Date: 03/29/19

Cory Wyatt

CORY WYATT